


REVISIONS				
ZONE	REV	DESCRIPTION	Date	APPROVED



**SPECIFICATION**

Frequency Range: 2–6 GHz  
 Insertion Loss: 2.5dB Max.  
 Isolation: 12dB Min.  
 VSWR: 1.80:1 Max.  
 Amplitude Balance: ±1.5dB  
 Input Power: 20 Watts

MATERIAL:	
DRAWN: Paiboon Luekhamhan	DATE: 11-15-2017
APPROVED: T. Nguyen	DATE: 11-15-2017

	MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 544-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE: N/A
	UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°		SHEET: N/A
DRAWING TITLE: <b>9-WAY POWER DIVIDER</b>		PART NO. PS9-6	
CAGE CODE: OD2L5		SIZE: A DO NOT SCALE THE DRAWING	REV: A DWG NO. 81263

PROPRIETARY NOTICE:  
 THE INFORMATION IN THIS DRAWING IS PROPRIETARY  
 AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN  
 PERMISSION FROM MICROWAVE COMMUNICATIONS  
 LABORATORIES INC. (MCLI)

THIRD ANGLE PROJECTION